

Overview

High-speed, cost-effective production printing of short-term posters on rolls, sheets, and boards

Help boost productivity with fast printing up to 700 m² or 1,000 B1 posters/hr.[1] Save operator time with the easy-to-maintain system and user-replaceable printheads. Enjoy end-to-end cut-sheet workflow with first HP large-format auto sheet feeder.

Maximum job turnaround time at breakthrough speed

Respond immediately—help boost productivity with fast printing up to 700 m² or 1,000 B1 posters per hour.[1]

Highly cost-effective print production

An affordable investment for retail poster production.

Short-term posters on rolls, sheets, and boards

End-to-end cut-sheet workflow with first HP large-format auto sheet feeder, versatile stacker.

[1] The HP PageWide XL Pro 10000 Printer delivers up to 700 m² or 1,000 B1 posters per hour. Number of pages will vary depending on the print mode and application printed.

Specifications

Print quality color (best)	1200 x 1200 dpi
Connectivity, standard	Gigabit Ethernet (1000Base-T), USB 2.0 host
Energy star certified	Yes
Minimum dimensions (W \times D \times H)	1955 x 785 x 1637 mm
Minimum dimensions (W \times D \times H)	77 x 30.9 x 64.4 in
Weight	527 kg
Weight	1162 lb
Power consumption	0.37 kW (typical); 1.2 kW (max printing); 120 W (ready); <16 W (sleep)
Environmental certification	ENERGY STAR, EPEAT Registered, UL 2801 ECOLOGO, CE marking (including RoHS, WEEE, REACH). In compliance with WW RoHS materials restriction requirements in China, Korea, India, Vietnam, Turkey, Serbia, and Ukraine
Manufacturer Warranty	90 days

Additional specifications

Acoustic power emissions (active, printing)	≤7.8 B(A) (operating), ≤5.8 B(A) (idle), ≤3.5 B(A) (sleep)
Acoustic pressure emissions	\leq 60 dB(A) (operating), \leq 38 dB(A) (idle), \leq 20 dB(A) (sleep)
Average printhead life	32 L
Core size	3 in
Core size	7.6 cm
Description	Large-format color printer
Dynamic security	Dynamic security enabled printer
Electromagnetic compatibility	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia and New Zealand (RCM), Japan (VCCI), Korea (KC)
First page out	18 sec (from roll and USB), 50 sec (from input tray and USB)
Infrastructure management	HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS
Ink types	Pigment-based (C, M, Y, K)
Interface	15.6-inch (396-mm) TFT (LED blacklight) 16:9-format HD capacitive touchscreen
Internal Storage	1 x 128 GB SSD, 1 x 500 GB HDD, both self-encrypted with AES-256
Maximum print speed	23 m/min
Maximum print speed	75 ft/min
Media sizes standard (metric rolls)	279 to 1016 mm
Media sizes standard (sheets, rolls)	11 to 40 in
Media sizes supported	SRA3[3], A2, A1, B2, B1
Media sizes supported	Arch B[3], C, D, E, ANSI B[3], C, D, ISO B2, B1
Media sizes, custom	297 to 1020 mm (width), 450[1] to 765[2] mm (length)
Media sizes, custom	11.7 to 40.2 in (width), 17.7[1] to 30.1[2] in (length)
Media thickness	Up to 15.7 mil (roll); up to 3/8 in (sheet/board)
Media thickness (metric)	Up to 0.4 mm (roll); up to 10 mm (sheet/board)
Media types	Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film
Media weight, supported	19 to 53 lb (roll); 0.032 to 1.83 lb (sheet/board)
Media weight, supported	70 to 200 g/m² (roll); 80 to 1050 g/m² (sheet/board)
Memory	16 GB DDR4
Number of print cartridges	4 (C, M, Y, K)
Operating humidity range	20 to 80% RH, depending on media type
Operating temperature range	41 to 104ºF

Operating temperature range	5 to 40ºC
Optional printer languages	Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade)
Package dimensions (W x D x H)	88.9 x 40.9 x 62.8 in
Package dimensions (W x D x H)	2257 x 1040 x 1595 mm
Package weight	1444 lb
Package weight	655 kg
Paper handling input, optional	Pro sheet feeder
Paper handling input, standard	Roll, input tray
Paper handling output, optional	Pro stacker (500-page capacity)
Paper handling output, standard	Basket
Poster full coverage (from input tray)	Up to 100 m²/hr, 3 B1 pages/min
Poster full coverage (from input tray)	Up to 1100 ft²/hr, 3 ISO B1 pages/min
Poster full coverage (from roll)	Fast: Up to 7500 ft²/hr, 1000 ISO B1 pages/hr, 24 ISO B1 pages/min; Normal: Up to 4300 ft²/hr; Best: Up to 3200 ft²/hr
Poster full coverage (from roll)	Fast: Up to 700 m²/hr, 1000 B1 pages/hr, 24 B1 pages/min; Normal: Up to 400 m²/hr; Best: Up to 300 m²/hr
Power	Input voltage (auto ranging) 200-240 V (±10%), 50/60 Hz (±3 Hz), 8 A
Print cartridge volume delivered	5 L
Print heads	8 (C, M, Y, K)
Print languages	HP-GL/2, TIFF, JPEG
Print technology	HP PageWide Technology
Printhead warranty	16 L or 12 months
Printing path	HP SmartStream software (optional), HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3)
Processor	Intel Core i5
Product logos	Adobe PDF Print Engine; Adobe PostScript 3; ColorPRO Technology; Energy Star; EPEAT green; Gold IPv6 Ready; Mac; UL 2801 ECOLOGO; Windows 10 Compatible
Recommended media	HP Universal Bond Paper, 3-in Core (FSC® certified)[4] (recyclable)[5]; HP Production Matte Poster Paper, 3-in Core (FSC® certified)[4] (recyclable) [5]; HP Production Satin Poster Paper, 3-in Core (FSC® certified)[4] (recyclable)[5]; HP Universal Heavyweight Coated Paper, 3-in Core (FSC® certified)[4] (recyclable)[5]; HP Matte Polypropylene, 3-in Core
Roll external diameter	Up to 7 in
Roll external diameter	Up to 177 mm
Roll maximum input	2 rolls default with auto-switching, expandable to 6 rolls
Roll maximum output	Up to 200 m
Roll maximum output	Up to 650 ft

Safety	IEC 60950-1+A1+A2 and IEC 62368-1 2nd ed. compliant; USA and Canada (CSA listed); EU (LVD and EN 60950-1 and 62368-1 compliant); Russia, Belarus, and Kazakhstan (EAC); China (CCC)
Supported Primary Applications	Posters; Double-sided posters; Presentation boards; Wrapping paper
UNSPSC code	43212104
UPC number	(ABG) 195122610425; (ACJ) 195122610432; (B19) 195122610449; (B1K) 195122610456; (BCD) 195122610463
Warm-up time	No warm up
Web address for additional information	http://www.hp.com/go/pagewidexlpro10000

Ink/Toner/Paper/Printer Supplies

HP PageWide XL Supplies

HP PageWide XL Supplies

HP 841/874/876 PageWide XL Maintenance Cartridge	3WW99A
HP 870 5-liter Black PageWide XL Pro Ink Cartridge	1XA94A
HP 870 5-liter Cyan PageWide XL Pro Ink Cartridge	1XA93A
HP 870 5-liter Magenta PageWide XL Pro Ink Cartridge	1XA91A
HP 870 5-liter Yellow PageWide XL Pro Ink Cartridge	1XA92A
HP 874/876 PageWide XL Cleaning Container	3WW73A
HP 876 PageWide XL Pro Printhead	3WW75A

★ : Recommended

Scanners/Copiers/Faxes

Scanners ★: Recommended

Large Format Scanners

HP HD Pro 2 42-in Scanner	5EK00A
HP SD Pro 44-in Scanner	G6H50B

Accessories

Paper Handling

★: Recommended

Media Loading Accessories

HP PageWide XL Drawer 8SB02A

Automatic Document Feeders

HP PageWide XL Pro Sheet Feeder 8SB05A

Output Trays and Stackers

HP PageWide XL Pro Stacker 8SB04A

Postscript/PCL5 Emulations

Postscript/PCL5 Emulations

HP PageWide XL PostScript/PDF Upgrade Kit 8SB07A

Software

Printing and Imaging Software

★: Recommended

Printer Management Software

HP SmartStream Document Organizer Module	2NH46AAE
HP SmartStream Ink Density Module	6UA04AAE
HP SmartStream Pixel Analysis Module	2NH47AAE
HP SmartStream Preflight Manager	8SW00AAE
HP SmartStream Print Controller USB for HP PageWide XL Pro 10000 Printer series	8SW06A
HP SmartStream Print Controller for HP PageWide XL Pro 10000 Printer series	8SW06AAE
HP SmartStream USB Preflight Manager	8SW00A
HP SmartStream Workflow Management Module	6UA02AAE

Disclaimer — Copyright

© Copyright 2021 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Sep 17, 2021 7:43 PM UTC+0000