

## Safety Data Sheet

### 1. Chemical identifier and company identification

Chemical identifier

Mixture identification:

Trade name: Ink Cartridge T9131

Recommended use and restrictions on use of the chemicals

Recommended use:

Ink for inkjet printing

Supplier's details

Manufacturer :

SEIKO EPSON CORPORATION

80 Harashinden, Hirooka, Shiojiri-shi, Nagano-ken, 399-0785 JAPAN

Phone number: +81-263-52-2552

Competent person responsible for the safety data sheet:

MSDS\_HRO@exc.epson.co.jp

Emergency phone number

Phone number: +81-263-52-2552

### 2. Hazards identification

GHS classification

The product is not classified as dangerous according to JIS Z 7252:2014.

GHS label elements

The product is not classified as dangerous according to JIS Z 7252:2014.

Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

None

Other hazards

No other hazards

### 3. Composition and information ingredients

Distinction of substances and mixtures: Mixtures

Hazardous components within the meaning of JIS Z 7252:2014 and related classification:

Qty	Name	Ident. Number	Classification
65% ~ 80%	Water	CAS: 7732-18-5 EC: 231-791-2	The product is not classified as dangerous according to JIS Z 7252:2014.
10% ~ 12.5%	Glycerol	CAS: 56-81-5 EC: 200-289-5	The product is not classified as dangerous according to JIS Z 7252:2014.
1% ~ 3%	Carbon black	CAS: 1333-86-4 EC: 215-609-9	The product is not classified as dangerous according to JIS Z 7252:2014.
1% ~ 3%	Triethanol amine	CAS: 102-71-6 EC: 203-049-8	The product is not classified as dangerous according to JIS Z 7252:2014.

### 4. First-aid measures

## Safety Data Sheet

Description of necessary first-aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None

Special notes to an attending physician

Treatment:

None

---

### 5. Fire-fighting measures

Suitable and unsuitable extinguishing media

Water.

Carbon dioxide (CO<sub>2</sub>).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products:

None

Explosive properties: N.A.

Oxidizing properties: N.A.

Protection of fire-fighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

---

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

Methods and material for containment and method and materials for cleaning up

Wash with plenty of water.

---

### 7. Handling and storage precautions

Safety handling precautions

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Safe storage conditions, including any incompatibilities

## Safety Data Sheet

Keep away from food, drink and feed.  
Incompatible materials:  
None in particular.  
Instructions as regards storage premises:  
Adequately ventilated premises.

---

### 8. Exposure controls and personal protection

Control parameters

Glycerol - CAS: 56-81-5

- OEL Type: OSHA - LTE: 5 mg/m<sup>3</sup> - Notes: PEL, as mist, respirable fraction

- OEL Type: OSHA - LTE: 15 mg/m<sup>3</sup> - Notes: PEL, as mist, total dust

Carbon black - CAS: 1333-86-4

- OEL Type: ACGIH - LTE: 3 mg/m<sup>3</sup>

- OEL Type: NIOSH - LTE: 3.5 mg/m<sup>3</sup> - STE: 1750 mg/m<sup>3</sup>

- OEL Type: OSHA - LTE: 3.5 mg/m<sup>3</sup>

DNEL Exposure Limit Values

N.A.

PNEC Exposure Limit Values

N.A.

Engineering controls

Appropriate engineering controls:

None

Personal protective equipment

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

---

### 9. Physical and chemical properties

Appearance and colour: Black Liquid

Odour: Slightly

Odour threshold: N.A.

pH: 8.2 ~ 9.6 at 20 °C

Melting point / freezing point: N.A.

Initial boiling point and boiling range: N.A.

Flash point: Does not flash until 100 °C / 212 ° F (closed cup method, ASTM D 3278)

Evaporation rate: N.A.

Solid/gas flammability: N.A.

Upper/lower flammability or explosive limits: N.A.

Vapour pressure: N.A.

Vapour density: N.A.

Relative density: 1.04 at 20 °C

Solubility in water: Soluble

Solubility in oil: N.A.

Partition coefficient (n-octanol/water): N.A.

Auto-ignition temperature: N.A.

Decomposition temperature: N.A.

Viscosity: < 5 mPa·s at 20 °C

## Safety Data Sheet

---

### 10. Stability and reactivity

- Reactivity
  - Stable under normal conditions
- Chemical stability
  - Stable under normal conditions
- Hazardous reactions
  - None
- Conditions to avoid
  - Stable under normal conditions.
- incompatible materials
  - None in particular.
- Hazardous decomposition products
  - None.

---

### 11. Hazard information

Toxicological information of the mixture:

e) germ cell mutagenicity:

Test: Mutagenesis - Species: Salmonella Typhimurium and Escherichia coli Negative

Toxicological information of the main substances found in the mixture:

Glycerol - CAS: 56-81-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Guinea pig = 7750 mg/kg - Source: Journal of Industrial Hygiene and Toxicology. Vol. 23, Pg. 259, 1941

Test: LDLo - Route: Oral - Species: Human = 1428 mg/kg - Source: "Toxicology of Drugs and Chemicals," Deichmann, W.B., New York, Academic Press, Inc., 1969 Vol. -, Pg. 288, 1969. - Notes: BEHAVIORAL: HEADACHE GASTROINTESTINAL: NAUSEA OR VOMITING

Carbon black - CAS: 1333-86-4

a) acute toxicity:

Test: LD50 - Route: Dermal - Species: Rabbit > 3 g/kg - Source: Acute Toxicity Data. Journal of the American College of Toxicology, Part B. Vol. 15

Test: LD50 - Route: Oral - Species: Rat > 15400 mg/kg - Source: Acute Toxicity Data. Journal of the American College of Toxicology, Part B. Vol. 15

Triethanol amine - CAS: 102-71-6

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Guinea pig = 2200 mg/kg - Source: "Toxicometric Parameters of Industrial Toxic Chemicals Under Single Exposure," Izmerov, N.F., et al., Moscow, Centre of International Projects, GKNT, 1982 Vol. -, Pg. 114, 1982.

Test: LD50 - Route: Oral - Species: Mouse = 5846 mg/kg - Source: Science Reports of the Research Institutes, Tohoku University, Series C: Medicine. Vol. 36(1-4), Pg. 10, 1989. - Notes: GASTROINTESTINAL: "HYPERMOTILITY, DIARRHEA" KIDNEY, URETER, AND BLADDER: OTHER CHANGES BEHAVIORAL: CONVULSIONS OR EFFECT ON SEIZURE THRESHOLD

Carbon black - CAS: 1333-86-4

With excessive exposure, carbon black has been listed as a possible human carcinogen. However, as engineered within this ink cartridge, emissions to air of carbon black during normal printing use have not been found. IARC, the International Agency for Research on Cancer, has found printing inks to be not classifiable as human carcinogens.

If not differently specified, the information listed below must be considered as N.A.:

- Acute toxicity;
- Skin irritation/corrosion;
- Serious eye damage/irritation;

## Safety Data Sheet

Respiratory or skin sensitization;  
Reproductive cell mutagenicity;  
Carcinogenicity;  
Reproductive toxicity;  
Specific target organ toxicity-single exposure;  
Specific target organ toxicity-repeated exposure;  
Aspiration hazard.

---

### 12. Ecological information

Ecotoxicity  
Adopt good working practices, so that the product is not released into the environment.  
N.A.  
Persistence and degradability  
N.A.  
Bioaccumulative potential  
N.A.  
Mobility in soil  
N.A.  
Hazard to the ozone layer  
N.A.  
Other adverse effects  
None

---

### 13. Notes on disposal

Disposal methods  
Recover if possible. In so doing, comply with the local and national regulations currently in force.

---

### 14. Transport information

UN number  
Not classified as dangerous in the meaning of transport regulations.  
Name of product  
N.A.  
UN classification  
N.A.  
Packing group  
N.A.  
Marine pollutant  
N.A.  
Transport in bulk according to annex II of MARPOL 73/78 and the IBC code  
N.A.  
Special precautions for user  
N.A.

---

### 15. Regulatory information

Safety, health and environmental regulations specific for the product in question  
This SDS complies with "JIS Z 7253:2012 Hazard communication of chemicals based on GHS – Labelling and Safety Data Sheet (SDS)". The classification of the product in this SDS complies with "JIS Z 7252:2014" Classification of chemicals based on GHS.  
Fire Service Law  
Not dangerous substance under Fire Service Law  
ISHL - Industrial Safety and Health Law

## Safety Data Sheet

Carbon black:	Substance requires a GHS SDS according to the ISHL List., Substance must be shown in label according to the ISHL List. No. 130
Triethanol amine:	Substance requires a GHS SDS according to the ISHL List., Substance must be shown in label according to the ISHL List. No. 381
CSCL - Chemical Safety and Control Law	
Not applicable	
PRTR Law	
Not applicable	
Poisonous & Deleterious Substances Control Law	
Not applicable	
Narcotics and Psychotropic Control Law	
Not applicable	

---

### 16. Other information

Date of preparation of this SDS: 2016/6/2  
 Key literature references and sources: None  
 Key/legend to the abbreviations and acronyms:  
 The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.  
 It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.  
 This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day.

## Safety Data Sheet

WGK: (ACGIH Standard).  
German Water Hazard Class.