

Material Safety Data Sheets

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

1. Product and Company Identification

Product Name : LUS-150 White
Order No. : LUS15-W-BA
Ink Ver. : 1
General Use : Ink jet printing ink
Product Description : UV Inkjet Ink
MSDS Number : 037-U080299
Manufacture
Company Name : Mimaki Engineering Co., Ltd
Address : 2182-3 Otsu, Shigeno, Tomi-shi, Nagano 389-0512 Japan
Telephone No. : +81-268-64-2413
Importer / Distributor Established in USA
Company Name : MIMAKI USA. INC.
Address : 150 Satellite Boulevard, suite A, Suwanee, Georgia 30024, U.S.A
Telephone No. : 1-678-730-0100
Emergency Telephone No. : +81-268-64-2413

2. Hazard Identification

CANADIAN WHMIS SYMBOLS



WHMIS Statement : This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class : D2B Toxic materials

Material Safety Data Sheets

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

Emergency Overview

CAUTION!

Avoid contact with skin and eyes

May be harmful if swallowed or if inhaled

Irritating to eyes and skin

Irritating to respiratory system

May cause allergic skin reaction

Appearance	: White
Physical State @20°C	: liquid
Odor	: Acrylates

Potential Health Effects

Inhalation : May be harmful if inhaled. May cause irritation of respiratory tract.

Eye Contact : Irritating to eyes.

Skin Contact : Irritating to skin. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Ingestion : May be harmful if swallowed. Ingestion may cause irritation to mucous membranes.

Principle Routes of Exposure : Eye contact, Skin contact, Inhalation.

Exposure

Chronic toxicity : Repeated contact may cause allergic reactions in very susceptible persons.

Interactions with Other Chemicals : Irritants. Sensitizers. Epoxies.

Potential Environmental Effects

Potential Environmental Effects : Harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment. See Section 12 for additional Ecological Information.

Aggravated Medical conditions : Allergies. Skin disorders. Respiratory disorders.

HMIS Rating (scale 0 – 4)

Health = 2

Flammability = 1

Reactivity = 1

Protective Equipment = B

2*	Health
1	Flammability
1	Reactivity
B	Protective Equipment


NFPA Rating (scale 0 – 4)

Health = 2

Flammability = 1

Instability = 1

Special =





Product Name: LUS-150 White

MSDS No. 037-U080299

First issue: 2012/10/12

Revised: 2014/06/10

Page 3 of 11

Material Safety Data Sheets

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

3. Composition / Information On Ingredients

No	Chemical Name	Wt%	CAS No.
1	Trimethylolpropane formalacrylate	10-20%	66492-51-1
2	N-vinylcaprolactam	10-20%	2235-00-9
3	Isobornyl acrylate ester	10-20%	5888-33-5
4	2,4,6-Trimethylbenzoyl diphenyl Phosphine Oxide	10-20%	75980-60-8
5	Phosphated alkoxyated polymer	1-5%	37280-82-3

4. First Aid Measures

General advice	: Do not get in eyes, on skin, or on clothing.
Inhalation	: Move to fresh air. If symptoms persist, call a physician.
Eye Contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
Skin Contact	: Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.
Ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth. Drink plenty of water. If symptoms persist, call a physician.
Note To Physician	: May cause sensitization of susceptible persons. Treat symptomatically.

5. Fire Fighting Measures

Flammable Properties	: Not flammable.
Flash point	: > 200 °F
Extinguishing Media	: Use CO2, dry chemical, or foam.
Hazardous Combustion	: Nitrogen oxides (NOx). Carbon oxides.
Products	
Sensitivity to Mechanical Impact	: none



Product Name: LUS-150 White

MSDS No. 037-U080299

First issue: 2012/10/12

Revised: 2014/06/10

Page 4 of 11

Material Safety Data Sheets

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

Sensitivity to Static : none

Discharge

Specific hazards arising from the chemical : Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact.

Protective Equipment and Precautions for Firefighters : As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Firefighters

NFPA

Health Hazard 2

Flammability 1

Stability 1

Physical and chemical hazards -

HMIS

Health Hazard 2*

Flammability 1

Physical Hazard 1

Personal protection B

*Indicates a chronic health hazard.

6. Accidental Release Measures

Personal Precautions : Use personal protective equipment. Avoid contact with the skin and the eyes.

Environmental precautions : Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods for Containment : Prevent further leakage or spillage if safe to do so.

Methods for cleaning up : Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. After cleaning, flush away traces with water. Prevent product from entering drains.

Material Safety Data Sheets

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

7. Handling And Storage

Advice on safe handling and storage	: Ensure adequate ventilation. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use.
Technical measures/Storage conditions	: Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep away from direct sunlight.

8. Exposure Controls / Personal Protection

Exposure Limit Values	This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.
-----------------------	---

Exposure Controls

Occupational Exposure Controls

Engineering Controls	: Showers Eyewash stations Ventilation systems
----------------------	--

Personal Protection

Respiratory Protection	: If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
------------------------	---

Eye Protection	: Safety glasses with side-shields.
----------------	-------------------------------------



Skin Protection	: Wear protective gloves/clothing.
-----------------	------------------------------------





Product Name: LUS-150 White

MSDS No. 037-U080299

First issue: 2012/10/12

Revised: 2014/06/10

Page 6 of 11

Material Safety Data Sheets

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

Hygiene measures : When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use. Provide regular cleaning of equipment, work area and clothing.

9. Physical And Chemical Properties

Appearance	- Physical state	: liquid@20°C
	- Color	: White
Odor		: Acrylates
pH		: Not available
Boiling Point / Boiling Range		: 232 °F
Melting Point / Melting Range		: Not available
Flash Point		: > 200 °F
Auto ignition temperature		: Not available
Flammability(solid, gas)		: Not available
Explosive Properties		: Not available
Oxidizing Properties		: Not available
Vapor Pressure		: <1 mm/Hg @ 20 C
Specific Gravity		: ~ 1.14
Water solubility		: Immiscible in water
Partition Coefficient(n-octanol / water)		: Not available
Vapor density		: Heavier than air
Evaporation Rate		: Not available
Molecular Weight		: Not available
Weight per Gallon (lbs)		: ~9.5
Viscosity, dynamic		: Not available
Actual VOC (lb/gal)		: 0.0
EPA VOC (g/l)		: Not available

Material Safety Data Sheets

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

10. Stability And Reactivity

Conditions To Avoid	: Extremes of temperature and direct sunlight.
Stability	: Stable under recommended storage conditions.
Incompatible Materials	: Strong oxidizing agents, strong acids, and strong bases.
Hazardous Reactions/	: Carbon oxides. Nitrogen oxides (NO _x).
Decomposition Products	
Hazardous	: Hazardous polymerization may occur.
Polymerization	

11. Toxicological Information

Eye Irritation	: Irritating to eyes.
Skin Irritation	: Irritating to skin. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Inhalation	: May be harmful if inhaled. May cause irritation of respiratory tract.
Sensitization	: None known.
Mutagenicity	: None known.
Teratogenicity	: None known.
Carcinogenicity	: None known.
Reproductive And Developmental Toxicity	: None known.
Chronic Toxicity	: Repeated contact may cause allergic reactions in very susceptible persons.
Target Organ Effects	: None known.
Others	: None known.
Component Information	

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isobornyl acrylate ester	4890 mg/kg (Rat)	5 g/kg (Rabbit)	



Product Name: LUS-150 White

MSDS No. 037-U080299

First issue: 2012/10/12

Revised: 2014/06/10

Page 8 of 11

Material Safety Data Sheets

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

12. Ecological Information

Ecotoxicity : Harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

13. Disposal Considerations

Waste Disposal Methods : Dispose of in accordance with all applicable national environmental laws and regulations, Dispose of in accordance with federal, state, and local regulations.

Contaminated packaging : Do not re-use empty containers.

14. Transport Information

Check a thing without a leak in a container.

Perform prevention of collapse of cargo surely.

Sea Transport(IMDG)

Class : 9

Packing Group(PG) : III

UN Number : UN3082

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (Acrylate Monomer)

Marine Pollutant : Yes

Air Transport (ICAO/IATA)

Class : 9

Packing Group(PG) : III

UN Number : UN3082

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (Acrylate Monomer)



Product Name: LUS-150 White

MSDS No. 037-U080299

First issue: 2012/10/12

Revised: 2014/06/10

Page 9 of 11

Material Safety Data Sheets

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

Land Transport(ADR)

Class : 9

Packing Group(PG) : III

UN Number : UN3082

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S., (Acrylate Monomer)

15. Regulatory Information

Chemical Name	TSCA	TSCA-Section 5	TSCA-Section 4	TSCA 12(b)	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	AICS
Trimethylolpropane formalacrylate	×				×		×			×		×
N-vinylcaprolactam	×				×		×		×	×	×	×
Isobornyl acrylate ester	×				×		×		×	×	×	×
2,4,6-Trimethylbenzoyl diphenyl Phosphine Oxide	×				×		×		×	×	×	×
Phosphated alkoxylated polymer	×				×					×	×	×

ROHS : Formulated to comply

ASTM F-963 : Formulated to comply

EN-71 : Formulated to comply

CHPA : Formulated to comply

CONEG : Formulated to comply

REACH/SVHC : Formulated to comply

CPSIA : Formulated to comply

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances



Product Name: LUS-150 White

MSDS No. 037-U080299

First issue: 2012/10/12

Revised: 2014/06/10

Page 10 of 11

Material Safety Data Sheets

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

ROHS - Restriction of Hazardous Substances in Electrical and Electronic Equipment (EU)

ASTM F-963 - Standard Consumer Safety Specification for Toy Safety (US)

EN-71 - Soluble Heavy Metals Toy Standard (EU)

CHPA Canadian Hazardous Product Act Heavy Metals (CA)

CONEG - Coalition of Northeast Governors Model Toxics in Packaging Legislation (US)

REACH/SVHC - Registration, Evaluation, Authorization of Chemicals - Substances of Very High Concern (EU)

CPSIA - Consumer Product Safety Improvement Act (US)

CERCLA

Reportable Quantity
(40 CFR 117, 302)

: This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act. There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

SARA Title III

Section 302
(40 CFR 355)

: This material, as supplied, does not contain any substances regulated as hazardous substances under the Superfund Amendments and Reauthorization Act. There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Section 311/312
(40 CFR 370)

:

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	Yes

Section 313
(40 CFR 372)

: Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	Threshold Values %
2-Phenoxyethyl acrylate	1.0

Clean Water Act
(40 CFR 122.21, 122.42)

: This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act



Product Name: LUS-150 White

MSDS No. 037-U080299

First issue: 2012/10/12

Revised: 2014/06/10

Page 11 of 11

Material Safety Data Sheets

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

California Proposition : This product does not contain any Proposition 65 chemicals.

65

U.S. State :

Right-to-Know
Regulations

Chemical Name	Massac husetts	New Jersey	Pennsyl vania	Illinois	Rhode Island
2-Phenoxyethyl acrylate		×	×	×	

16. Other Information

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.

Revision history

Version	Date	Content
1.0	2012/09/20	First issue.
2.0	2014/06/10	14. Not applicable UN→ Applicable UN