

# Safety Data Sheets

## 1. Identification

Product Name : Latex ink LX101 Cyan  
Order No. : LX101-C-60  
Ink Ver. : 1  
General Use : Ink for ink jet printer  
Product Description : Aqueous ink  
SDS Number : 037-W350534  
Manufacture  
Company Name : Mimaki Engineering Co., Ltd.  
Address : 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN  
Telephone No. : +81-268-64-2413  
Importer / Distributor Established in USA  
Company Name : MIMAKI USA, INC.  
Address : 150 Satellite Boulevard, suite A, Suwanee, Georgia 30024, U.S.A.  
Telephone No. : +1-678-730-0100  
Emergency Telephone No. : +81-268-64-2281

## 2. Hazards Identification

### [GHS Classification]

#### Physical Hazards

non-classifiable or not-applicable.

#### Health Hazards

Eye Damage / Irritation : Category 2

Toxic to Reproduction : Category 2

#### Environmental Hazards

non-classifiable or not-applicable.

The above list does not include category being non-classifiable or not-applicable.

### [GHS Label Elements]

#### Symbol



## Safety Data Sheets

Signal Word

Warning

Hazard Statements

H319 Cause serious eye irritation

H361 Suspected of damaging fertility or the unborn child

Precautionary Statements

[Prevention]

P201 Obtain SDS (Safety Data Sheet) and printer's operation manual before use.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/clothing and eye/face protection.

[Response]

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

[Storage]

P405 Store locked up.

[Disposal]

P501 Dispose of contents and container in accordance with local, regional, national and international regulation.


NFPA Rating (scale 0 – 4)

Health = 2

Flammability = 1

Instability = 0

Special = None



CANADIAN WHMIS SYMBOLS



## Safety Data Sheets

### 3. Composition / Information on Ingredients

No	Chemical Name	Wt%	CAS No.
1	Diethylene glycol derivative	10-20	Trade Secret
2	Alcohol derivative	28-32	Trade Secret
3	Phthalocyanine series pigment	1-5	Trade Secret
4	Resin	1-5	Trade Secret
5	Methyldiethanolamine	0.5-1.5	Trade Secret
6	Water	balance	7732-18-5

### 4. First Aid Measures

Inhalation : Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician.

Eye Contact : Flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.

Skin Contact : Wash with plenty of soap and water. Take off contaminated clothing and wash before re-use. Get medical attention if irritation develops.

Ingestion : If swallowed, get medical attention.

#### Most Important Symptoms/Effects

Acute : eye irritation

Delayed : reproductive effects

Indication of Immediate : Treat symptomatically and supportively.

Medical Attention and

Special Treatment

Needed, If Needed

### 5. Fire Fighting Measures

Flammable Properties : Flash point Not flammable

Extinguishing Media : carbon dioxide, regular dry chemical, water spray, alcohol resistant foam

## Safety Data Sheets

Unsuitable Extinguishing : Do not scatter spilled material with high-pressure water streams.

Media

Special Hazards Arising : Negligible fire hazard.

from the Chemical

Hazardous Combustion : oxides of carbon, oxides of nitrogen

Products

Fire Fighting : Move container from fire area if it can be done without risk. Do not  
Measures scatter spilled material with high-pressure water streams. Cool  
containers with water spray until well after the fire is out. Stay  
away from the ends of tanks. Avoid inhalation of material or  
combustion by-products.

Special Protective : Wear full protective fire fighting gear including self contained  
Equipment and breathing apparatus (SCBA) for protection against possible  
Precautions for exposure.  
Firefighters

### 6. Accidental Release Measures

Personal Precautions, : Wear personal protective clothing and equipment, see Section 8.  
Protective Equipment Avoid release to the environment.

and Emergency

Procedures

Methods and Materials : Eliminate all ignition sources if safe to do so. Stop leak if possible  
for Containment and without personal risk. Reduce vapors with water spray.

Cleaning Up **Small spills:** Absorb with sand or other non-combustible material.  
Collect spilled material in appropriate container for disposal.

**Large spills:** Dike for later disposal. Keep unnecessary people away,  
isolate hazard area and deny entry. Stay upwind and keep out of low  
areas.

## Safety Data Sheets

### 7. Handling and Storage

Precautions for Safe Handling	: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with eyes, skin and clothing. Do not eat, drink, or smoke when using this product. Wear protective gloves and eye/face protection. Wash thoroughly after handling.
Conditions for Safe Storage, including any Incompatibilities	: Store and handle in accordance with all current regulations and standards. Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Keep separated from incompatible substances.

### 8. Exposure Controls / Personal Protection

Exposure Limit Values	: ACGIH, OSHA, and NIOSH have not developed exposure limits for any of this product's components.
Component Biological Limit Values	: There are no biological limit values for the component(s) of this product.

#### Exposure Controls

##### Occupational Exposure Controls

Appropriate Engineering Controls	: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.
----------------------------------	---

##### Personal Protection

Respiratory Protection	: Consult with a health and safety professional for specific respirators appropriate for your use.
------------------------	--



Hand Protection	: Wear appropriate chemical resistant gloves.
-----------------	---



## Safety Data Sheets

Eye Protection

**Safety  
Glasses**

: Wear splash resistant safety goggles with a faceshield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Skin Protection

**Protective  
Apron**

: Wear appropriate chemical resistant clothing.

### 9. Physical and Chemical Properties

Appearance	- Physical State	: Liquid
	- Color	: Cyan
Odor		: slight solvent odor
pH		: $9.8 \pm 0.5$
Boiling Point / Boiling Range		: Not available
Melting Point / Melting Range		: Not available
Decomposition Temperature		: Not available
Flash Point		: Not flammable
Flammability (Solid, Gas)		: Not applicable
Explosive Properties		: Not available
Oxidizing Properties		: Not available
Specific Gravity		: $1.02 \pm 0.01$ (20 °C)
Solubility		: Not available
Water Solubility		: soluble
Partition Coefficient (n-octanol / Water)		: Not available
Viscosity		: Not available
Vapor Density		: Not available
Evaporation Rate		: Not available
VOC		: Not available

## Safety Data Sheets

### 10. Stability and Reactivity

Reactivity	: No reactivity hazard is expected.
Chemical Stability	: Stable under normal conditions of use.
Possibility of Hazardous Reactions	: Will not polymerize.
Conditions to Avoid	: Avoid flames, sparks, and other sources of ignition. Avoid contact with incompatible materials.
Incompatible Materials	: oxidizing materials
Hazardous Decomposition	: Combustion: oxides of carbon, oxides of nitrogen

### 11. Toxicological Information

Acute Toxicity	: The component(s) of this material have been reviewed in various sources and no selected endpoints have been identified.
Component Analysis - LD50/LC50	
Information on Likely Routes of Exposure	
Inhalation	: irritation, difficulty breathing, headache, reproductive effects
Ingestion	: no information on significant adverse effects
Skin Contact	: irritation
Eye Contact	: irritation
Immediate Effects	: eye irritation
Delayed Effects	: reproductive effects
Medical Conditions	: No information available for the product.
Aggravated by Exposure	
Irritation/Corrosivity	: eye irritation
Data	
Respiratory	: No information available for the product.
Sensitization	
Dermal Sensitization	: No information available for the product.
Germ Cell Mutagenicity	: No information available for the product.
Carcinogenicity	: No data listed by ACGIH, IARC, NTP, DFG or OSHA is available for the component(s) of this product.

## Safety Data Sheets

Reproductive Toxicity	: Available data characterizes components of this product as reproductive hazards.
Specific Target Organ Toxicity - Single Exposure	: No target organs identified.
Specific Target Organ Toxicity - Repeated Exposure	: No target organs identified.
Aspiration Hazard	: Not expected to be an aspiration hazard.

### 12. Ecological Information

Handling is noted because it might influence the environment when leaking and abandoning it.

Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch.

Ecotoxicity	: Harmful to aquatic life.
Component Analysis - Aquatic Toxicity	: Methyl-diethanolamine (105-59-9)

Fish:	96 Hr LC50 Pimephales promelas: >1000 mg/L
Algae:	72 Hr EC50 Desmodesmus subspicatus: 37 mg/L; 96 Hr EC50 Desmodesmus subspicatus: 20 mg/L
Invertebrate:	48 Hr EC50 Daphnia magna: 230 mg/L

Persistence and Degradability	: Not available
Bioaccumulation	: Not available
Mobility	: Not available
Other Toxicity	: Not available

### 13. Disposal Considerations

: Comply with all USA, national and local regulations.

Do not dump this product into sewers, on the ground or into any body of water.

Disposal Methods	: Dispose in accordance with all applicable regulations.
------------------	--





Product Name: Latex ink LX101 Cyan

SDS No. 037-W350534

First issue: 2013/06/25

Revised: 2015/12/02

## Safety Data Sheets

Component Waste : The U.S. EPA has not published waste numbers for this product's  
Numbers components.  
Disposal of : Empty containers may contain product residue. Dispose in  
Contaminated accordance with all applicable regulations.  
Packaging

### 14. Transport Information

Check a thing without a leak in a container.  
Perform prevention of collapse of cargo surely.  
US DOT Information : Not regulated as a hazardous material for transport.  
TDG Information : Not regulated as dangerous goods for transport.  
Marine Pollutant : No component(s) of this material is specifically listed in the IMDG  
Code as an identified marine pollutant.

### 15. Regulatory Information

U.S. Federal : None of this products components are listed under SARA Sections  
Regulations 302/304 (40 CFR 355 Appendix A), SARA Section 311/312 (40 CFR  
370.21), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4),  
TSCA 12(b), or require an OSHA process safety plan.  
SARA TitleIII : Acute Health: Yes  
Section 311/312 Chronic Health: Yes  
Fire: No  
Pressure: No  
Reactive: No  
U.S. State Regulations : None of this product's components are listed on the state lists from  
CA, MA, MN, NJ or PA.  
Canada : Not regulated under California Proposition 65  
Canadian WHMIS : WHMIS CLASSIFICATION: D2A, D2B.  
Ingredient Disclosure : None of the product component(s) are listed on the Ingredients  
List (IDL) Disclosure List (IDL).



Product Name: Latex ink LX101 Cyan

SDS No. 037-W350534

First issue: 2013/06/25

Revised: 2015/12/02

## Safety Data Sheets

Chemical Inventory : Component Analysis - Inventory

Listings

Component	US	CA	EU	AU	PHIL	JP	KR	CN	NZ
Phthalocyanine series pigment (Proprietary)	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes
Methyldiethanolamine (105-59-9)	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes

### 16. Other Information

#### Key/Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; CAS - Chemical Abstracts Service; CLP - Classification, Labelling and Packaging; EEC - European Economic Community; EIN (EINECS) - European Inventory of Existing Commercial Chemical Substances; ELN (ELINCS) - European List of Notified Chemical Substances; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IMDG - International Maritime Dangerous Goods; IBC Code - International Bulk Chemical Code; Kow - Octanol/water partition coefficient; LEL - Lower Explosive Limit; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NTP = National Toxicology Program; REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - European Rail Transport; STEL - Short-term Exposure Limit; TWA - Time Weighted Average; UEL - Upper Explosive Limit

#### Other Information

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.